

	L #	Hits	Search Text	DBs
1	L1	1140	stream\$4 near5 (command or request or query) near5 (destination or target or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	436	stream\$4 near2 (command or request or query) near3 (destination or target or server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	131	2 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	7	client with analysis with offline	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	12	client with (analysis or analyz\$5) with offline	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	1897	710/52-54,56-57.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	270	6 and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	494	6 and (router or interface) same network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	217	7 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L11	330	8 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L13	330	11 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L14	255	11 and (buffer or queue or memory) with (request\$3 or stream\$3 or command\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L12	148	9 and (buffer or queue or memory) with (request\$3 or stream\$3 or command\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L15	150	(12 or 14) and (maximum or threshold or size) with (above or exceed\$3 or more or greater or higher)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
15	L16	155	(12 or 14) and (maximum or threshold or size) with (above or exceed\$3 or more or greater or higher or over)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L17	155	(12 or 14) and (maximum or threshold or size) with (above or exceed or exceeding or exceeded or more or greater or higher or over)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L18	134	(12 or 14) and (maximum or threshold or size) near5 (above or exceed or exceeding or exceeded or more or greater or higher or over)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L19	733	((stream or streaming) with (read or write) with command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L20	97	19 same (router or size or threshold or amount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L21	55	20 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L10	27407	(smaller or below or less or lower or under) near4 (size or level or threshold) with (stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L11	6100	(larger or above or greater or more or higher) near4 (size or level or threshold) with stream\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L12	181	10 and 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L13	50	10 same 11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L14	32	13 and (@prad<19990226 or @ad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L15	20	(fddi or fiber adj channel) and scsi and 709/249.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L16	48	(fddi or fiber adj channel) same scsi same gateway	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L17	22	(fddi or fiber adj channel) same scsi same (gateway or router) same (buffer or queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L18	4	17 and (@prad<19990226 or @ad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L19	106	(fddi or fiber adj channel) same scsi same (gateway or router)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L20	21	19 and (@prad<19990226 or @ad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L21	21	18 or 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L22	1	(select\$3 or choos\$3) near5 stream\$3 near5 (stor\$3 near3 forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L23	1	(select\$3 or choos\$3 or decid\$3) near5 stream\$3 near5 (stor\$3 near3 forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L24	4	(select\$3 or choos\$3 or decid\$3) near5 stream\$3 near5 (stor\$3 with forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L2	1623	(larger or above or greater or more or higher) near4 (level or threshold) near4 stream\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L3	61	(smaller or below or less or lower or under) near4 (level or threshold) with (stor\$3 near5 forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L4	4298	(larger or above or greater or more or higher) near4 (level or threshold) with stream\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L5	0	3 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L6	180	(smaller or below or less or lower or under) near4 (level or threshold) with (stor\$3 with forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L8	2	4 same 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L9	20945	(smaller or below or less or lower or under) near4 (level or threshold) with (stor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L10	133	4 and 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L11	46	4 same 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L12	5584	(smaller or below or less or lower or under) near4 (level or threshold) with (forward\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L13	30	4 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

no good refs

	L #	Hits	Search Text	DBs
12	L16	30	(8 11 14) and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L7	4	4 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	4	4 same 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	101	(7 10 13) and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L17	953	(gateway or router or interface) with scsi with (fibre or fiber)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L18	854	(gateway or router or interface) with scsi with (fibre or fiber) adj channel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L19	303	(gateway or router or interface) with scsi with (fibre or fiber) adj channel with (between or connect\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	L20	83	19 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L21	101	((gateway or router or interface) with scsi with (fibre or fiber) adj channel).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L22	23	21 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L23	96	20 or 22	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
23	L24	203	scsi and fibre adj channel and (buffer or queue) and stream\$3 and store and forward	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L25	82	24 and (router or gateway)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L26	15	25 and (@ad<19990226 or @prad<19990226)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB